MATERIAL SAFETY DATA SHEET

This MSDS complies with OSHA'S Hazard Communication Standard 29 CFR 1910.1200 and OSHA Form 174

	IDENTITY AND MA	ANUFACTI	JRER'S INFORMAT	TION			
NFPA Rating: Health-1; Fla	ammability-2; Reactivity-0; Special	нм	S Rating: Health-1;	Flammabi	lity-2; Reacti	vity-0; Person	al Protection-B
Manufacturer's Name: Amrep, Inc.			DOT Hazard Classification: NON-REGULATED				
Address: 990 Industrial Park Dr.			(In containers less than 119 gallons capacity: GROUND DOMESTIC)				
Address: M	larietta, GA 30062	lde	Identity (trade name as used on label):				
		MISTY CRYSTAL CLEAR DUST MOP TREATMENT					
				Sc	lvent Degre	easer	
Prepared: 03/01/05 Prepared By: IB			MSDS Number: B00811 Revision - 11				
Information Calls: (770)422-2071			NOTICE: JUDGEMENT BASED ON INDIRECT TEST DATA				
EMERGENCY RESPONSE N	IUMBER: 1-800-255-3924						
	SECTION 1 - MATERIAL	IDENTIFI	CATION AND INFO	RMATIO	N .		
COMPONENTS-CHEMICAL	NAMES AND COMMON NAMES		CAS Number	SARA	OSHA PEL	ACGIH	Carcinogen
(Hazardous Components 1%			III LIST	(ppm)	TLV (ppm)	Ref. Source **	
PARAFFINIC, NAPHTHENIC SOLVENT			64742-47-8	No	NE*	N/E*	d
(HYDROTREATED PETROI							
*100ppm (525 mg/m3) for 8 hour TWA recommended by manufacturer.							
SECTION 2 - PHYSICAL/CHEMICAL CHARACTERISTICS							
Boiling Point: Greater than 400°F Specific Gravity (H2O=1): 0.78							
Vapor Pressure: PSIG @ 70°F (Aerosols): N/A Vapor Pressure (Non-Aerosols)(mm Hg and Temperature): not determined							
Vapor Density (Air = 1): not determined Evaporation Rate (= 1): N/D							
Solubility in Water: Negligib		Wat	er Reactive: No				
Appearance and Odor: Wat	er white, clear oily liquid with slight grapefruit odor.						
SECTION 3 - FIRE AND EXPLOSION HAZARD DATA							
FLAMMABILITY as per USA I	FLAME PROJECTION TEST (aerosols) N/A	Auto Iç	nition Temperature	Flamm		Air by % in Vo	
			ND		% LEL:		% UEL: ND
FLASH POINT AND METHO	D USED (non-aerosols): greater than 204°F TCC						fire space without proper thing apparatus. Cool fire
EXTINGUISHED MEDIA: W/s	ater spray or fog, foam, dry chemical or CO2. Do no					contained brea	thing apparatus. Cool life
direct water stream.	tier spray or log, roam, dry chemical or GO2. Do no		ires with water.	iding equipi	none a		
Unusual Fire & Explosion F	lazards: None expected.						
SECTION 4 - REACTIVITY HAZARD DATA							
STABILITY [X] STABLE [] UNSTABLE HAZARDOUS POLYMERIZATION [] WILL [X] WILL NOT OCCUR							
Incompatibility (Mat. to avoid): Oxidizing materials. Conditions to Avoid: Heat, sparks, open flame.							
Hazardous Decomposition Products: Oxides of carbon & unidentified organic compounds may be formed during combustion.							
SECTION 5 - HEALTH HAZARD DATA							
PRIMARY ROUTES OF ENTRY: []INHALATION [X]INGESTION []SKIN ABSORPTION []EYE []NOT HAZARDOUS							
ACUTE EFFECTS: As product is not highly volatile under ambient conditions, inhalation acute effects due to vapor inhalation is unlikely to occur. (See note							
concerning inhalation of mist under Inhalation below.)							
Inhalation: High vapor concentrations may cause CNS depression, headaches, dizziness, irritation of mucous membranes, and kidney effects. Extreme							
concentrations or inhalation of mist or aspiration into lungs may cause chemical pneumonitus or asphyxiation.							
Eye Contact: Slight irritation from short term contact. Prolonged & repeated Skin Contact: Prolonged & repeated liquid contact may result in irritation and							
contact more irritating. dermatitis.							
Ingestion: May result in nausea and vomiting. Aspiration of vomitus into lungs must be avoided as lung contact can result in chemical pneumonitis,							
asphyxiation and pulmona							
CHRONIC EFFECTS: None known.							
Medical Conditions Generally Aggravated by Exposure: Pre-existing irritation of skin or mucous membranes.							
EMERGENCY FIRST AID PROCEDURES							
Eye Contact: Flush with water for 15 minutes. If irritation persists, get medical attention.							
Skin Contact: Wash with soap and water. If irritation persists, get medical attention.							
Inhalation: Remove to fresh air. Provide oxygen if breathing is difficult. Get medical attention.							
Ingestion: DO NOT INDUCE VOMITING. Drink 3 to 4 glasses of water. Get immediate medical attention.							
SECTION 6 - CONTROL AND PROTECTIVE MEASURES Respiratory Protection (specify type): As required to prevent overexposure. NIOSH approved air purifying respirator for organic vapors or atmosphere-supplying respirator.							
Protective Gloves: As required to minimize skin contact. Eye Protection: Safety glasses or goggles.							
Ventilation Requirements: Local exhaust is generally sufficient. If material is heated, explosion proof ventilation as required to control vapor concentrations.							
Other Protective Clothing & Equipment: Clothing as required to minimize skin contact. Eyewash station and safety shower.							
Hygienic Work Practices: Do not eat, drink or smoke in work area. Wash hands after handling.							
SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE							
Steps To Be Taken If Material Is Spilled Or Released: Contain spill. Keep out of surface waters & any sewers or water courses entering or leading to surface waters. Soak up							
	n properly labeled leak-proof containers for disposal.		ators a arry sewers of	mater court	os cincing 0	caamig to sui	idos waters. Obak up
	ispose of in accordance with all local, state and feder		ns.				
Precautions To Be Taken In Handling & Storage: Store in original shipping containers away from heat, open flame & oxidizing materials. Keep closed when not in use.							